

SATURDAY, AUGUST 22, 2020 AT 7 P.M.

General Admission Tickets - \$15 Children 7 to 12 years old - \$5 Children 6 years and under are FREE Prices increase August 21

All Cars will be inspected before a flag is given, so all cars need to be at the pit gate by 5:00 p.m. You will not be running in this event if you show up late. Any other scenario will be on a case by case basis.

Entry Fee \$75 Gate Fee \$3

For more Information Contact

Dan Boy: 605-490-8109 Kevin Boy: 605-645-9190

Send Entries To

Central States Fair 800 San Francisco Street Rapid City, SD 57701

COMPACT CAR ENTRY FORM



Name:	
	D.O.B
Email:	Phone:
Address:	State:
City:	ZIP:
Vehicle Information	
Car # Year: Make	e:Model:
Sponsors:	
"I recognize and understand my participation of this motor sport full responsibility for my participation. I further release any and a involved from any and all liability associated with my participation. Fair you voluntarily assume all risks related to exposure to Covid	all sponsors and all other entities on. By attending the Central States
Signature:	
Print Name:	
Date:	

COMPACT CAR RULES

- 1. Any rear wheel drive car with a wheel base of 107" or less. Any front wheel drive car with a wheel base of 108" or less.
- 2. Battery and gas tank must be safely mounted inside the car. Gas tank must be made of metal or be a racing specific style fuel cell.
- 3. May have 4-point cage with 4" diameter material or less. You may have one down bar on each side of the car from cage to floor. You may have a floating gas tank protector off the seat bar, but must be 4"away from any sheet metal.
- 4. You may bolt, chain or weld any single factory style car bumper on the car. Bumper may be seam welded but not stuffed.
- 5. Radiators must be mounted in factory location if used. No Radibarrels.
- 6. Any 4 or 6 cylinder engine. No v-8 engines. Transmission crossmember must be factory style or 2x2x1/4" square tubing and must have 1/2" hole drilled to verify that it is hollow.
- 7. Top frame seam only, may be welded from firewall forward.
- 8. May weld, bolt, wire, or chain doors and trunk shut from outside only. Must have at least 1 window bar in front windshield area. You may have a window bar in the back window, but must not connect to cage in any way, and must connect to front half of the trunk lid.
- 9. Any 4 or 5 lug rearend may be used as long as it originally came under a compact car. No full wheel centers. Small centers are okay. All suspension may use spring spacers or weld suspension without more than 6" of 2" wide steel strap or tubing, per side of the car. Tie-rods may be welded without the use of any extra metal.
- 10. Pre-ran cars may have a total of eight 6"x6"x1/4" plates per car (4 per side.)

Entires limted to the first 8 paid entires