

2019 Johnson County Demolition Derby Rules

Saturday August 3,2019

BONE STOCK 80'S AND NEWER

- NO HEARSE OR LIMOUSINE
- LONG PANTS, DOT HELMETS, AND EYE PROTECTION ARE A MUST
GLOVES AND BOOTS HIGHLY RECOMMENDED, MUST HAVE SHOES AT
MINIMUM
- MUST HAVE SEAT BELT AND IT MUST BE FUNCTIONAL
- CAR MUST BE STRIPPED OF OF ALL FLAMMABLE MATERIAL
CHROME, HANDLES, PLASTIC, RUBBER, STAINLESS AND POT METAL TRIM
MUST BE REMOVED FROM THE INSIDE AND OUTSIDE OF CAR.
ALL GLASS MUST BE REMOVED, GLASS DEBRIS ALSO MUST BE
REMOVED FROM INSIDE DOORS, TRUCKS AND FLOOR
- LEAVING DASH AND FACTORY SEAT ARE OK
- MUST HAVE WORKING BRAKES
- ALL ITEMS MUST BE STOCK OEM MATERIAL OF THE MAKE/MODEL OF
CAR.
- ABSOLUTELY NO WELDING ANYWHERE!!!!
- MUST USE OEM CARBS
- MUST HAVE DRIVER'S DOOR PROTECTION, CAN BOLT TO OUTSIDE
OF DRS DOOR OR CAN SLIDE INSIDE OF DRIVERS DOOR BUT MUST
CHAIN OR 9 WIRE TO B PILLAR.
- GAS TANK MUST BE REMOVED AND USE A METAL FUEL CELL LOCATED BEHIND DRIVERS SEAT
OR CENTER OF REAR SEAT AREA.

- IF THE CAR YOU ARE USING CAME FACTORY WITH FUEL INJECTION, YOU CAN HAVE FUEL PUMP RELOCATED INSIDE CAR, BUT MUST USE HIGH PRESSURE LINE/HOSE WITH THE APPROPRIATE FITTINGS. A OFF/ON SWITCH MUST BE CLEARLY MARK FOR FIRE PERSONAL
- BATTERY AND COMPUTERS CAN BE RELOCATED INSIDE CAR
- NO BODY SHAPING AT ALL!!!!!!!!!!!!
- TRUNK LIDS CAN BE REMOVED
- CAN USE HEADERS THROUGH HOOD
- ALL GAS,BRAKE AND SHIFTER LINKAGE MUST REMAIN STOCK
- HOOD MUST CAN 2-4 CHAINS OR 9 WIRE TO HOLD IT ON
- DOORS CAN HAVE 1-2 CHAINS OR 9 WIRE TO HOLD IT ON
- DRIVERS DOOR MUST BE SECURED CLOSED WITH CHAIN OR #9 WIRE
- TRUNKS CAN HAVE 1-2 CHAINS OR 9 WIRE
- IF DRIVERS DOOR COMES OPEN, CAR WILL DISQUALIFIED
- TIRES MUST BE 17" OR SMALLER, NO DOUBLED, FOAM FILLED, STUDDER, FORKLIFT,SKIDDERS. ALL WHEEL WEIGHTS REMOVED NO VALVE STEM PROTECTORS. YOU CAN USE TUBES
- STEERING MUST BE OEM

CAN HAVE ANY 80'S OR NEWER BUMPERS, MUST BE BOLTED ON, CAN BOLT ON ANYWAY BUT MAX OF 4 BOLTS PER SIDE. DO NOT WELD BUMPER ON!! CAN NOT HAVE LOADED OR HOMEMADE BUMPERS QUESTIONS ON THIS JUST CALL

YOU CAN HAVE A DRIVERS SEAT BRACE, NOT TO GO SIDE TO SIDE OF CAR. NO OTHER BARS ALLOWED INSIDE CAR

ENGINE MUST REMAIN STOCK, FORD TO FORD, CHEVY TO CHEVY ETC

BONE STOCK COMPACT

- 108" WHEEL BASE AND UNDER, FRONT OR REAR WHEEL DRIVE
- NO FULL FRAME CARS
- CAR PREP RULES WILL BE THE SAME AS FULL SIZE BONE STOCK
AS LISTED ABOVE

IF FACTORY FUEL TANK IS IN FRONT OF REAR CROSS MEMBER
IT DOES NOT NEED TO BE REMOVED AND CAN USE IT INSTEAD
OF A FUEL CELL INSIDE CAR.

ANY FUEL LEAKING FROM CAR, THE CAR WILL BE REMOVED FROM
ARENA IMMEDIATELY

ANY QUESTIONS CALL**913-208-5223**

INSPECTIONS WILL BE 12-5. YOU MUST BE IN THE INSPECTION LINE BY 5!!!!