

## **FIRE REGULATIONS FOR** **LIVESTOCK AREA**

The following Fire Regulations shall be posted in all areas where livestock are being exhibited.

- 1. BY ORDER OF THE FIRE MARSHAL “NO SMOKING” WILL BE ALLOWED INSIDE ANY LIVESTOCK BUILDING**
2. Portable heaters of any type **shall not be used** in any of the livestock buildings.
3. Small appliances such as coffee pots, toasters, and broilers shall be commercial rated and may be used (not in conjunction with loose hay or straw) in areas **approved** by the Fire Marshal and/or the Electrical Inspector.
4. The use of heat lamps in the livestock buildings will be subject to inspection. Written **approval** for their use shall be obtained from the Fire Marshal.
5. Appliances used in livestock area shall be **approved** by the Fire Marshal.
6. The use, storage, and handling of all flammable and combustible liquids shall be subject to written **approval** by the Fire Marshal.
- 7. THE USE AND STORAGE OF LIQUIFIED PETROLEUM GAS (LPG) IN PORTABLE CONTAINERS INSIDE BUILDINGS IS PROHIBITED.**
8. Portable gasoline generators **shall not be** operated in the livestock buildings.
9. A. Parking of motorized vehicles inside livestock buildings is **prohibited**.  
B. Parking of camp trailers inside livestock buildings is prohibited.  
C. Parking in “**No Parking**” zones will be strictly enforced.
- 10. Use of stalls for sleeping quarters is PROHIBITED.**
11. A minimum of 44” of clear access to all exits will be maintained.