

WEST END FAIR
DEMO DERBY ENTRY BLANK (JUNK CAR)
RULES and REGULATIONS

AUGUST 20

CAR MUST BE REGISTERED AND INSPECTED
30 MINS BEFORE THE START OF SHOW OR
YOU WILL NOT RUN.

- A. EACH DRIVER MUST FILL OUT AN ENTRY BLANK. COST IS \$25 PER CAR. EACH ADDITIONAL PIT CREW MEMBER WILL BE REQUIRED TO PURCHASE A PIT PASS THE DAY OF THE EVENT.**
- B. ALL RULES AND REGULATIONS MUST BE OBSERVED AND FOLLOWED. TRACK OPERATORS AND PROMOTORS RESERVE THE RIGHT TO APPROVE OR REJECT ANY AND ALL ENTRIES.**
- C. ONLY DRIVERS WILL BE PERMITTED ON THE TRACK.**
- D. NO CARS PERMITTED ON THE TRACK BEFORE THE HEAT THEY ARE TO PARTICIPATE IN.**
- E. MEMBERS OF THE AUTO DEMOLITION DERBY ARE NOT EMPLOYEES OF THE TRACK OPERATORS OR THE PROMOTOR OF THE DEMOLITION DERBY.**
- F. NO ALCOHOLIC BEVERAGES ALLOWED. DRIVERS THAT ARE OR HAVE BEEN DRINKING WILL BE DISQUALIFIED.**
- G. ALL DRIVERS MUST BE PRESENT ONE-HALF HOUR BEFORE SCHEDULED START TIME.**
- H. ALL DRIVERS MUST WEAR CLOSED TOED SHOES, LONG SLEEVED SHIRT, AND LONG PANTS.**
- I. SAFETY BELTS AND HELMETS MUST BE WORN.**
- J. NO DELIBERATELY RAMMING THE DRIVER'S DOOR.**
- K. THIS EVENT WILL BE COMPOSED OF INDIVIDUAL HEATS AND A FEATURE.**

PARTICIPATING REGULATIONS

- 1. ANY STOCK HARDTOP AUTOMOBILE OR MINI VAN FACTORY INSTALLED ,4 OR 6 CYLINDER UNIBOBY**
- 2. CARS MUST APPEAR STOCK, UNLESS NOTED BELOW.**
- 3. ALL GLASS, PLASTIC TRIM, OUTSIDE DOOR HANDLES, CHROME , FIBER GLASS AND RUBBER BUMPER COVERS MUST BE REMOVED. AIRBAGS MUST ALSO BE REMOVED**
- 4. BATTERY MAY BE MOVED TO THE PASSENGER FRONT FLOOR MUST BE SECURED AND COVERED.**
- 5. BOAT TANKS AND FUEL CELLS MAY BE MOUNTED IN THE REAR SEAT AREA, MUST BE SECURELY MOUNTED. NO GAS TANK PROTECTORS**
- 6. ELECTRIC FUEL PUMPS ARE PERMITTED. THEY MUST HAVE A VISABLE SWITCH FOR TRACK PERSONNEL IN CASE OF FIRE.**
- 7. STOCK GAS TANK MAY BE USED IF IN STOCK LOCATION IN FRONT OF REAR AXLE.**
- 8. TIRES.. NO ` W ` OR ` V ` TREAD , TRACTOR TREAD OR PADDLE TIRES.. NO STUDS OR WHEEL WEIGHTS.**

9. TIRES MAY BE DOUBLED, LIQUID OR FOAM FILLED.
10. FACTORY STEEL OR ALUMINUM WHEELS ONLY.
11. ALL ANTI-FREEZE AND FREON MUST BE DRAINED PRIOR TO ARRIVING AT THE TRACK.
12. YOU MAY BOLT THE HOOD TO THE INNER BRACING IN 12 SPOTS, USING 3/8 BOLTS WITH ONE INCH WASHER MAX. NO OTHER BRACING ALLOWED TO THE HOOD. IF IT DID NOT COME FACORY STOCK, YOU MAY NOT ADD IT.
13. HOODS, TRUNKS AND TAILGATES CANNOT BE WELDED SHUT. YOU MAY USE CHAIN, WIRE OR BOLTED IN 6 SPOTS MAXIMUM ON EACH. (ALL THREAD MAY BE USED NO LARGER THAN 1 INCH IN DIAMETER) WITH A 4X4 INCH MAX FLAT PLATE. MAY WELD A 1/4X2"X4" ANGLE ON HOOD/TOP OF FENDER WITH (1) BOLT PER ANGLE SET ONLY
14. NO OTHER BRACING MAY BE ADDED TO SUPPORT THE ALL THREAD.
15. HOODS MUST BE OPEN FOR INSPECTION. MUST HAVE (2) 8" HOLES IN HOOD INCASE OF FIRES
16. DOORS; MUST BE CHAINED, WIRED, WELDED OR CABLED SHUT. YOU MAY RUN A SIDE SKID RAIL WHEEL WELL TO WHEEL WELL ENDS MUST BE HAMMERED FLAT.
17. TRUNKS MAY BE TUCKED , CANOED BUT NOT WEDGED. QUARTER PANELS MUST REMAIN VERTICLE.. ROOF TO DECK BARS MAY NOT BE USED. YOU MAY DIMPLE THE BODY
18. SHIFTING MECHANISM MAY BE ALTERED.
19. THE GAS/BRAKE PEDAL MAY BE ALTERED.
20. EXHAUST MAY EXIT THROUGH THE HOOD (MUST BE TEN INCHES ABOVE THE CARBURATOR).
21. ALL AIRBAGS MUST BE REMOVED.
22. BUMPERS, MAYBE BOLTED SOLID OR WELDED. BUMPER PLUNGERS MAY BE WELDED BUT BUMPER SHOCKS MAY NOT BE WELDED TO THE FRAME ALSO BUMPERS MUST REMAIN IN STOCK POSITION. A MAX 6X6 1/4 INCH THICK FLAT PLATE MAY BE WELDED TO THE FRONT OF FRAME TO MOUNT YOUR BUMPER ONE (1) PER FRAME HORN. NO KICKERS OR EXTRA MATERIALS MAY BE ADDED. ONE 2" PIPE OR BOX TUBING WITH TWO UPRIGHTS LOOP TOP AND BOTTOM 6" MAX OFF BUMPER NO WIDER THEN BUMPER (TO PROTECT RAD NOT A BATTERING RAM) NO KICKERS OFF LOOPS
23. BUMPERS YOU MAY USE A PIECE OF 4X4 BOX TUBE , C CHANEL OR ROUND PIPE 1/4 THICK MAX (WILL BE MEASURED) BUMPERS MAY BE NO WIDER THAN THE WIDTH OF THE CAR ALL MOUNTING RULES APPLY AS RULE #22
24. IF RUNNING A STOCK FAN, THE HOOD CANNOT BE CUT OUT ABOVE IT.
25. BODY MOUNTS MUST REMAIN STOCK. YOU MAY REPLACE IT WITH 1 INCH MAX SPACER, OR REMOVE IT AND BOLTED FLAT.
26. ALL SUNROOFS MUST BE COVERED WITH METAL
27. YOU MUST RUN THE SAME VEHICLE YOU QUALIFIED WITH. ONCE QUALIFIED YOU CAN NOT ENTER ANOTHER HEAT
28. SEAT,DASH BAR WILL BE PERMITTED (4"INCHES ROUND DOOR TO DOOR OR POST TO POST ONLY MAY ONLY BE CONECTED ON BOTH SIDES. 6X2 ` C ` CHANNEL OR 4 INCH PIPE. MAX! . ROOF CHAINS MAY BE USED FROM FRAME TO ROOF (TWO PER SIDE MAX).
29. TO MAKE INSPECTION FASTER AND EASIER ON YOU, PLEASE FOLLOW ALL THE RULES.
30. ALL DECISIONS BY JUDGES ARE FINAL.
31. HEATS WILL PAY \$ 100 FOR FIRST \$75 FOR SECOND \$25 FOR THIRD
32. FEATURE WILL PAY \$600 TO THE WINNER \$200 FOR SECOND AND \$100 FOR THIRD
33. ROOF SIGNS ARE HIGHLY RECOMMEND

ANY QUESTIONS REGARDING THE RULES AND REGULATIONS PLEASE CONTACT

TIM @ 610-826-7284)

NAME: _____ AGE: _____

ADDRESS: _____ CITY, STATE, ZIP _____

I HAVE READ THE RULES AND ACCEPT THE DECISIONS OF THE JUDGES AS FINAL AND ELECT TO USE THE GROUND OR TRACK IN ITS PRESENT CONDITION.

NAME: _____ SIGNATURE: _____ PHONE _____ NUMBER _____